



Filter Systems

PRODUCT GUIDE 2010



High airflow systems 3-10

MG-series	3-5
MP-series	6-7
BT-series	8
Filters	9
Accessories and spare parts	10

Extraction arms 11-17

Extraction arms Ø 60 mm	11-13
Extraction arms Ø 32 mm	14
Nozzles	15-16
Accessories	17

High vacuum systems 18-22

FT-series	18
FE-series	19
FC-series	19
Filters and spare parts	20
Tube systems	21
Clip-on kits	22

Clean Bench Concept 23-24

CBC-A	23
CBC-R	24

Replacement filters 25-28

For all filter systems in our assortment	25-26
For discontinued filter systems	27-28

MG75

MG75 is a mobile filter system with connection for one extraction arm. Remote control for variable speed, filter lifetime indication and alarm functions.

Technical data

Max suction capacity, m³/h	70
Blower capacity, m³/h	100
Sound level dB(A) at 1 m	38-49
Height, mm	640
Width, mm	465
Depth, mm	220
Weight, kg	15

Art. number	Description
750-1000-ESD	MG75 Filter system
750-1010-ESD	MG75 Filter system, Cleanroom



MG95

MG95 is a filter system with connection for up to two extraction arms. Remote control for variable speed, filter lifetime indication and alarm functions.

Technical data

Max suction capacity, m³/h	100
Blower capacity, m³/h	140
Sound level dB(A) at 1 m	38-49
Height, mm	640
Width, mm	465
Depth, mm	220
Weight, kg	18

Art. number	Description
950-1000-ESD	MG95 Filter system
950-1010-ESD	MG95 Filter system, Cleanroom



MG100

MG100 is a filter system with connection for one or two extraction arms.

Technical data

Max suction capacity, m³/h	100
Blower capacity, m³/h	140
Sound level dB(A) at 1 m	<52
Height, mm	640
Width, mm	460
Depth, mm	210
Weight, kg	15

Art. number	Description
100-1000-ESD	MG100 Filter system



MG200

MG200 is a mobile filter system with integrated pre filter and a combined particle- and gas filter. MG200 can be connected to Filtronic's air curtain cabinet, CBC-A or four extraction arms.

Technical data

Max suction capacity, m³/h	200
Blower capacity, m³/h	310
Sound level dB(A) at 1 m	<55
Height, mm	1016
Width, mm	400
Depth, mm	402
Weight, kg	43

Art. number	Description
200-1000-ESD	MG200 Filter system
200-1115-ESD	MG200 Filter system, 115 V

MG400

MG400 is a mobile filter system with integrated pre filter and a combined particle- and gas filter. MG400 can be connected to two CBC-A air curtain cabinets or eight extraction arms.

Technical data

Max suction capacity, m ³ /h	400
Blower capacity, m ³ /h	615
Sound level dB(A) at 1 m	<55
Height, mm	1016
Width, mm	796
Depth, mm	402
Weight, kg	68

Art. number	Description
450-1000-ESD	MG400 Filter system
450-1115-ESD	MG400 Filter system, 115 V



MP140 Kit 1

MP140 is a small, mobile filter system designed for applications with a large amount of particles.

MP140 Kit 1 is a complete kit for one work station. Is delivered with a flexible arm, bench mounting bracket, connection hose and a N nozzle.

Technical data

Max suction capacity, m³/h	100
Blower capacity, m³/h	140
Sound level dB(A) at 1 m	<54
Height, mm	440
Width, mm	420
Depth, mm	200
Weight, kg	8

Art. number	Description
140-1011-ESD	MP140 Kit 1
140-1000-ESD	MP140 Filter system



MP140 Kit 2

MP140 is a small, mobile filter system designed for applications with a large amount of particles.

MP140 Kit 2 is a complete kit for one work station. Is delivered with a flexible arm, bench mounting bracket, connection hose and an ALFA nozzle.

Technical data

Max suction capacity, m³/h	100
Blower capacity, m³/h	140
Sound level dB(A) at 1 m	<54
Height, mm	440
Width, mm	420
Depth, mm	200
Weight, kg	8

Art. number	Description
140-1012-ESD	MP140 Kit 2
140-1000-ESD	MP140 Filter system



MP140 Kit 3

MP140 is a small, mobile filter system designed for applications with a large amount of particles.

MP140 Kit 3 is a complete kit for two workstations. Is delivered with a set for table mounting and two flexible arms with N nozzles.

Technical data

Max suction capacity, m ³ /h	100
Blower capacity, m ³ /h	140
Sound level dB(A) at 1 m	<54
Height, mm	440
Width, mm	420
Depth, mm	200
Weight, kg	8

Art. number	Description
140-1013-ESD	MP140 Kit 3
140-1000-ESD	MP140 Filter system



BT100V Kit

BT100 is a mobile filter system designed for applications with a large amount of particles.

BT100V is a complete kit for one work station. Is delivered with a 700 mm flexible arm (0F07) and an ALFA nozzle.

Technical data

Max suction capacity, m³/h	100
Blower capacity, m³/h	245
Sound level dB(A) at 1 m	<55
Height, mm	790
Width, mm	300
Depth, mm	300
Weight, kg	8

Art. number	Description
550-8121	BT100V Kit
500-1100	BT100V Filter system



BT100H Kit

BT100 is a mobile filter system designed for applications with a large amount of particles.

BT100H is a complete kit for one work station. Is delivered with an extraction arm 3046 and an ALFA nozzle.

Technical data

Max suction capacity, m³/h	100
Blower capacity, m³/h	245
Sound level dB(A) at 1 m	<55
Height, mm	790
Width, mm	300
Depth, mm	300
Weight, kg	8

Art. number	Description
550-8111	BT100H Kit
500-1200	BT100H Filter system



Pre filters

MG-series

Art. number	Description
PF-1000	Pre filter for MG100
PF-1200	Pre filter for MG75/MG95
500-4000	Pre filter bags (5 pcs)
200-4000	Pre filter MG200 (1 pc)
450-4000	Pre filter MG400 (2 pcs)

Replacement filters

MG-series

Art. number	Description
750-2000-ESD	Micro/gas filter MG75, Standard
750-2002-ESD	Micro/gas filter MG75, Cleanroom
750-2003-ESD	Micro/gas filter MG75, MEK
750-2006-ESD	Micro/gas filter MG75, Ammonia
750-2012-ESD	Micro/gas filter MG75, Solvents/VOC
950-2000-ESD	Micro/gas filter MG95, Standard
950-2002-ESD	Micro/gas filter MG95, Cleanroom
950-2003-ESD	Micro/gas filter MG95, MEK
950-2006-ESD	Micro/gas filter MG95, Ammonia
950-2012-ESD	Micro/gas filter MG95, Solvents/VOC
100-2000-ESD	Micro/gas filter MG100, Standard
100-2003-ESD	Micro/gas filter MG100, MEK
100-2006-ESD	Micro/gas filter MG100, Ammonia
100-2012-ESD	Micro/gas filter MG100, Solvents/VOC
200-2000-ESD	Micro/gas filter MG200, Standard, (2 pcs)
200-2002-ESD	Micro/gas filter MG200, Cleanroom, (2 pcs)
200-2003-ESD	Micro/gas filter MG200, MEK, (2 pcs)
200-2006-ESD	Micro/gas filter MG200, Ammonia, (2 pcs)
200-2012-ESD	Micro/gas filter MG200, Solvents/VOC, (2 pcs)
450-2000-ESD	Micro/gas filter MG400, Standard, (4 pcs)
450-2002-ESD	Micro/gas filter MG400, Cleanroom, (4 pcs)
450-2003-ESD	Micro/gas filter MG400, MEK, (4 pcs)
450-2006-ESD	Micro/gas filter MG400, Ammonia, (4 pcs)
450-2012-ESD	Micro/gas filter MG400, Solvents/VOC, (4 pcs)

MP-series

Art. number	Description
140-2000-ESD	Micro filter MP140

BT-series

Art. number	Description
500-2100	Replacement filter BT100
500-4000	Pre filter bags (5 pcs)

Accessories

Art. number	Description
780-3001-ESD	Mounting set for MG100
700-3043-ESD	Y-connection with quick connections, ESD
700-3059	T-connection with quick connections
700-3057	Remote control, MG-units, version 2 (RoHS)
700-3058	Remote control MG-units, IR, version 2 (RoHS)
700-3040-ESD	Connection hose Ø 65 mm incl. quick connections, length 1 000 mm
700-3041-ESD	Connection hose Ø 65 mm incl. quick connections, length 2 000 mm
700-3051-ESD	Connection hose Ø 65 mm incl. quick connections, length 3 000 mm
700-3052-ESD	Connection hose Ø 65 mm incl. quick connections, length 4 000 mm
700-3053-ESD	Connection hose Ø 65 mm incl. quick connections, length 5 000 mm
700-3055-ESD	Connector for hoses incl. quick connections
800-5001-ESD	Connection hose aluminium coated Ø 100 mm, by meter (max length 6m/pc)
800-5011-ESD	Connection hose aluminium coated Ø 160 mm, by meter (max length 6m/pc)
800-5002	Reduction 100/63 mm incl. quick connection
800-5004	Reduction 80/63 mm incl. quick connection
800-5012	Reduction 160/100 mm
700-3026	Cleaning brush for MG extraction arms
950-3202-ESD	Trolley for MG75/MG95 with console for one or two extraction arms
	<i>For matching arm for trolley, see Extraction arm 4015</i>
700-3070	MG communication

Spare parts

Art. number	Description
300-5000	Remote control for MG75, version 1
300-5005	Remote control for MG95, version 1
300-5001	Cable for remote control MG units
300-5008	Power supply MG100S
300-5010	Power supply MG75/MG95

Extraction arms 3046/3446

Diameter, mm	Arm Ø 60
Measure/arm part, mm	230 / 700
Total measure, mm	930

Art. number	Description
3046	Extraction arm with ball joint and 700 mm flexible hose.
3446	Same as 3046 but with air valve.



Extraction arms 3015/3415

Diameter, mm	Arm Ø 60
Measure/arm part, mm	230 / 895
Total measure, mm	1125

Art. number	Description
3015	Extraction arm with one joint, table bracket and 700 mm flexible hose.
3415	Same as 3015 but with air valve.



Extraction arms 3007/3407

Diameter, mm	Arm Ø 60
Measure/arm part, mm	230 / 395 / 695
Total measure, mm	1320

Art. number	Description
3007	Extraction arm with two joints, table bracket and 500 mm flexible hose.
3407	Same as 3007 but with air valve.



Extraction arms 3017/3417

Diameter, mm	Arm Ø 60
Measure/arm part, mm	230 / 395 / 695
Total measure, mm	1320

Art. number	Description
3017	Extraction arm with two joints, horizontal link, table bracket 500 mm flexible hose.
3417	Same as 3017 but with air valve.



Extraction arms 3013/3413

Diameter, mm	Arm Ø 60
	Nozzle Ø 50
Measure/arm part, mm	230 / 430 / 195 / 105-235
Total measure, mm	960-1090

Art. number	Description
3013	Extraction arm with two joints, horizontal link, table bracket and a P nozzle.
3413	Same as 3013 but with air valve.



Extraction arms 4015 (for trolley)

Diameter, mm	Arm Ø 60
Measure/arm part, mm	230 / 395 / 695
Total measure, mm	1320

Art. number	Description
4001	Extraction arm to be mounted together with trolley, with one joint and 700 mm flexible hose.



Flexible hose/arm

Art. number	Description
0F05	Flexible, adjustable arm 500 mm incl. connection (female) in both ends.
0F07	Flexible, adjustable arm 700 mm incl. connection (female) in both ends.
0F10	Flexible, adjustable arm 1000 mm incl. connection (female) in both ends.
0F15	Flexible, adjustable arm 1500 mm incl. connection (female) in both ends.



Extraction arms 4000/4400

Diameter, mm	Arm Ø 60
	End part Ø 32
Measure/arm part, mm	230 / 895
Total measure, mm	1125

Art. number	Description
4000	Extraction arm with one joint, table bracket and 700 mm flexible hose (Ø 32 mm).
4400	Same as 4000 but with air valve.



Extraction arms 4001/4401

Diameter, mm	Arm Ø 60
	End part Ø 32
Measure/arm part, mm	230 / 895
Total measure, mm	1125

Art. number	Description
4001	Extraction arm with one joint, table bracket and two 700 mm flexible hose (Ø 32 mm).
4401	Same as 4001 but with air valve.



Flexibel hose / arm Ø 32 mm


Art. number	Description
(3)0F05	Flexible, adjustable arm 500 mm incl. connection (female) in one end.
(3)0F07	Flexible, adjustable arm 700 mm incl. connection (female) in one end.
(3)0F10	Flexible, adjustable arm 1000 mm incl. connection (female) in one end.
(3)0F15	Flexible, adjustable arm 1500 mm incl. connection (female) in one end.



U

Width, mm	190
Height, mm	100
Connection	Quick connection Ø 60

Art. number	Description
U	Plastic nozzle, ESD, black, fits extraction arm with flexible hose part*.



ALFA

Width, mm	225
Height, mm	100
Connection	Quick connection Ø 60

Art. number	Description
ALFA	Plastic nozzle, ESD, black, fits extraction arm with flexible hose part*.



ALFA-T

Width, mm	225
Height, mm	100
Connection	Quick connection Ø 60

Art. number	Description
ALFA-T	Plastic nozzle, antistatic, black, fits extraction arm with flexible hose part*.



N, NS

Diameter, mm	50
Length, mm	130
Connection	Quick connection Ø 60

Art. number	Description
N	Metal tube nozzle, short, ESD, fits extraction arm with flexible hose part*.
NS	Metal tube nozzle, short with grid, ESD, fits extraction arm with flexible hose part*.



* to be mounted on an extraction arm without flexible hose part, adapter Z is needed. See Extraction arms - accessories.

NL, NSL

Diameter, mm	60
Length, mm	130
Connection	Quick connection Ø 60

Art. number	Description
NL	Metal tube nozzle, short, 60 mm, ESD, fits extraction arm with flexible hose part*.
NSL	Metal tube nozzle, short 60 mm, with grid, ESD fits extraction arm with flexible hose part*.



P

Diameter, mm	50
Length, mm	300

Art. number	Description
P	Metal tube nozzle, short, ESD, fits extraction arm without flexible hose part.



700-3033-ESD

Width, mm	470
Height, mm	150
Depth, mm	180
Connetion, mm	Quick connection Ø 60

Art. number	Description
700-3033-ESD	Suction hood with transparent top, ESD.



* to be mounted on an extraction arm without flexible hose part, adapter Z is needed. See Extraction arms - accessories.

Accessories

Art. number	Description
Z	Adapter, ESD
C	Wall bracket
700-3026	Cleaning brush for MG extraction arms
W SPECIAL	Valve set for extraction arms
700-3011-ESD	Clamps for table console (2 pcs)
700-3030-ESD	Extra long clamps for table console (2 pcs)
700-3056	Net for nozzles (5 pcs) incl. 1 springblade
300-3005	Plastic foot for MG extraction arm
300-3011	Quick connection (female) for flexible hose
300-3012	Quick connection (male for aluminium tube)
700-3050-ESD	Spring blade for quick connection, fits on pipes Ø 50-60 mm

FT12

Filter unit with two inlets for two soldering irons.
High vacuum system driven by compressed air.

The main filter has an integrated particle filter (HEPA) and gas- and dust filter for best function and easy filter exchange.

Technical data

Max suction capacity, l/m	20-50
Sound level dB(A) at 1 m	<37
Height, mm	200
Diameter, mm	120
Weight, kg	1,5

Art. number	Description
112-0000-ESD	FT12 Filter system



FT12-PF

Filter unit with two inlets for two soldering irons.
Integrated pre filter cassette for applications with a large amount of particles.

High vacuum system driven by compressed air.

Technical data

Max suction capacity, l/m	20-50
Sound level dB(A) at 1 m	<37
Height, mm	245
Diameter, mm	120
Weight, kg	1,5

Art. number	Description
112-5000-ESD	FT12-PF Filter system



FE4000

FE4000 is a spot suction unit with high separation degree of both particles and gases in different processes.

It is a high vacuum system, driven by an electrical motor. The unit has inlets for two soldering irons and two speed settings.

Technical data

Max suction capacity, l/m	40
Sound level dB(A) at 1 m	<40
Height, mm	290
Diameter, mm	140
Weight, kg	4,9

Art. number	Description
112-6000	FE4000 Filter system



FC800

FC800 is a central unit for tip extraction applications with connection for up to 30 soldering irons. Five irons can be connected directly to the unit.

Technical data

Max suction capacity, l/m	800
Sound level dB(A) at 1 m	<51
Height, mm	695
Width, mm	450
Depth, mm	450
Weight, kg	45

Art. number	Description
800-0000	FC800 Filter system

Replacement filters

FT- & FE series

Art. number	Description
210-0323-ESD	Top filter FT12
212-0012-ESD	Main filter FT12, FE4000
210-0309	Filter discs FT12, FE4000 (10 pcs)
210-0313	Filter discs FT12, FE4000 (pink) for heavy soldering (10 pcs)

FT12-PF

Art. number	Description
212-5000-ESD	Pre filter cassette FT12-PF (3 pcs)
212-5001-ESD	Main filter FT12-PF
212-5002-ESD	Rebuild kit FT12-PF

FC-series


Art. number	Description
802-2000	Replacement filter FC800
802-5000	Pre filter FC800 (10 pcs)

Spare parts

Art. number	Description
300-2000	Throttle valve FT12
300-2001	Hose set FT- and FE-series
300-2002	Ejector for FT12
300-2005	Silencer FT (model 3)

Tube system

Art. number	Description	No.
520-1001	Socket	1
520-1002	Double socket	2
520-1003	Branch pipe	3
520-1004	Bend of 90°	4
520-1005	Bend of 45°	5
520-1006	End plug Ø 50 mm	6
520-1007	Pipe 5 m incl. socket	7
520-1008	Pipe 2,5 m incl. socket	8
520-1009	Pipe 1,25 m incl. socket	9
520-1010	Pipe 5 m excl. socket	10
520-1011	Pipe 2,5 m excl. socket	11
520-1012	Pipe 1,25 m excl. socket	12
520-1013	Pipe clamps	13
520-1014	Hose connection with sealing bolt	14
520-1015	Hose incl. 2 pcs of hose clamps	15



Clip-on kits

Clip-on kits consists of: 1 clip, 1 spot suction nozzle, 2 m hose, 5 pcs e-clips and 1 cleaning brush.

Note! Soldering iron is NOT included.

We offer you clip-on kits for most models of soldering irons.

Art. number	Description
001-0043-ESD	Clip-on kit universal, model 3. For soldering irons from ERSA, Hakko, Weller, Metcal etc.
001-0051-ESD	Clip-on kit ERSA Micro tool
001-0061	Clip-on kit JBC 2010/2210
001-0082	Clip-on kit Pace PS80/SP2A
001-0093	Clip-on kit Weller WSP80/MLR21 Hakko 907/908/911/912/917/FM2027

Accessories

Art. number	Description
010-2825-ESD	Spot suction nozzle for clip-on kit Metcal/Universal 1 Length: 200 mm Diameter: 5,0 / 4,6 mm
010-2827-ESD	Spot suction nozzle for clip-on kit ERSA Micro tool Length: 140 mm Diameter: 5,0 / 4,6 mm
010-2828-ESD	Spot suction nozzle clip-on kit Filtronic universal 2 & 3 Length: 220 mm Diameter: 5,0 / 4,6 mm
010-2833-ESD	Spot suction nozzle for clip-on kit Pace PS80/SP2A Length: 220 mm Diameter: 4,5 / 3,9 mm
010-2834-ESD	Spot suction nozzle for clip-on kit Weller WSP80/MLR21/MT1500, Hakko 907/912 Length: 180 mm Diameter: 6,3 / 5,4 mm
001-0001	E-clips, 6/8 mm
001-0004	E-clips, 6/6 mm
001-0014	E-clips, 4/6 mm
010-1038	On/off-tap for FT-units
010-1041-ESD	Conductive silicone hose Ø 7/4,5 mm, by meter
010-1042-ESD	Conductive silicone hose Ø 8/5 mm , by meter
010-1044	Hose clip 3-11 mm
010-1045	Hose clip 5-14 mm
010-9901-ESD	Cleaning brush 4 mm
010-9902-ESD	Cleaning brush 5 mm
010-9905-ESD	Cleaning brush 3,2 mm

CBC-A

The air curtain cabinet CBC-A has a unique ventilation concept that separates the operator from the process by a dual air curtain system, giving unlimited accessibility on the workbench. It stands directly on the workbench and is easily connected to FT mobile filter system or to central ventilation.



Technical data

Height, int/ext, mm	525/625
Width, int/ext, mm	1 120/1 275
Depth, int/ext, mm	580/760
Weight, kg	53
Sound level, dB(A) at 1 m	49

Art. number	Description
CBC-A-112-G02-G65-I2	Model CBC-A-122, with fluorescent lightning. ESD-safe. Cabinet supplied with a sheet top cover with one Ø 60 mm connection (G02), sheet backside panel (G65) and tube lightning (2x39W), 230V (I2).
CBC-A-112-G04-G65-I2	Model CBC-A-122, with fluorescent tube lightning. ESD-safe. Cabinet supplied with a sheet top cover with 4 quick connections to fit 2 x MG100S (G04), sheet backside panel (G65) and tube lightning (2x39W), 230V (I2).
CBC-A-112-G04-G70-I2	Model CBC-A-122, with fluorescent tube lightning and back panel in transparent plexiglas. Not ESD-safe. Cabinet supplied with a sheet top cover with 4 quick connections to fit 2 x MG100S (G04), backpanel in transparent plexiglas (G70) and tube lightning (2x39W), 230V (I2).
CBC-A-112-G22-G70	CBC-A,-112, transparent model. Not ESD-safe. Please note: Can not be delivered together with lighting! Cabinet supplied with a topcover in transparent plexiglas with one Ø 160 mm connection (G22), backpanel in transparent plexiglas (G70) .

Accessories and spare parts

Art. number	Description
G65	Backpanel in sheet 1160x600x1,25 mm, ESD-safe
G70	Backpanel in transparent plexiglas, 1160x600x3 mm, not ESD-safe
G80	Backpanel in transparent polycarbonate, 1160x600x3 mm, ESD-safe
G02	Topcover in sheet 1160x580x1,25 mm with one Ø 160 mm connection, ESD-safe
G04	Topcover- same as G02 but with 4 quick connections to fit 2 x MG100S, ESD-safe
I2	Lighting appliance with fluorescent tube lighting (2x39W), 230V
F02	Tube lightning 39 W, 4 pcs (suitable for CBC-A with lightning I2)
300-6001	Power supply CBC-A

CBC-R

The CBC-R Cabinet provides a mobile clean air zone for sensitive production processes. The CBC-R can easily be placed in any working area without any fixed installations.

Work area inside the cabinet has easy access and is protected by a unique air curtain to prevent dust and particles entering the cabinet.



Technical data

Height, int/ext, mm	525/893
Width, int/ext, mm	1 120/1 275
Depth, int/ext, mm	600/760
Weight, kg	90
Sound level, dB(A) at 1 m	< 55

Art. number	Description
CBC-R-G65-T1-S2	CBC-R, micro cleanroom, sheet backside panel (G65), 230 V, ESD-safe
CBC-A-112-G04-G65-I2	CBC-R, micro cleanroom, backpanel in transparent plexiglas (G70) 230 V, ESD-safe
CBC-A-112-G04-G70-I2	CBC-R, micro cleanroom, backpanel in transparent polycarbonate (G80), 230 V, ESD-safe

Replacement filters

Art. number	Description
F01	Replacement filter

Accessories

Art. number	Description
F02	Tube lightning 39 W, 4 pcs

Replacement filters

MG75

Art. number	Description
750-2000-ESD	Micro/gas filter MG75, Standard
750-2002-ESD	Micro/gas filter MG75, Cleanroom
750-2003-ESD	Micro/gas filter MG75, MEK
750-2006-ESD	Micro/gas filter MG75, Ammonia
750-2012-ESD	Micro/gas filter MG75, Solvents/VOC

MG95

Art. number	Description
950-2000-ESD	Micro/gas filter MG95, Standard
950-2002-ESD	Micro/gas filter MG95, Cleanroom
950-2003-ESD	Micro/gas filter MG95, MEK
950-2006-ESD	Micro/gas filter MG95, Ammonia
950-2012-ESD	Micro/gas filter MG95, Solvents/VOC

MG100

Art. number	Description
100-2000-ESD	Micro/gas filter MG100, Standard
100-2003-ESD	Micro/gas filter MG100, MEK
100-2006-ESD	Micro/gas filter MG100, Ammonia
100-2012-ESD	Micro/gas filter MG100, Solvents/VOC

MG200

Art. number	Description
200-2000-ESD	Micro/gas filter MG200, Standard, (2 pcs)
200-2002-ESD	Micro/gas filter MG200, Cleanroom, (2 pcs)
200-2003-ESD	Micro/gas filter MG200, MEK, (2 pcs)
200-2006-ESD	Micro/gas filter MG200, Ammonia, (2 pcs)
200-2012-ESD	Micro/gas filter MG200, Solvents/VOC, (2 pcs)

MG400

Art. number	Description
450-2000-ESD	Micro/gas filter MG400, Standard, (4 pcs)
450-2002-ESD	Micro/gas filter MG400, Cleanroom, (4 pcs)
450-2003-ESD	Micro/gas filter MG400, MEK, (4 pcs)
450-2006-ESD	Micro/gas filter MG400, Ammonia, (4 pcs)
450-2012-ESD	Micro/gas filter MG400, Solvents/VOC, (4 pcs)

Pre filters MG-series

Art. number	Description
PF-1000	Pre filter for MG100
PF-1200	Pre filter for MG75/MG95
500-4000	Pre filter bags (5 pcs)
200-4000	Pre filter MG200 (1 pcs)
450-2000	Pre filter MG400 (2 pcs)

Replacement filters for all filter systems in our assortment

MP140

Art. number	Description
140-2000-ESD	Micro filter MP140

BT100

Art. number	Description
500-2100	Replacement filter BT100
500-4000	Pre filter bags BT100 (5 pcs)

FT12

Art. number	Description
210-0323-ESD	Top filter FT12
212-0012-ESD	Main filter FT12
210-0309	Filter discs FT12 (10 pcs)
210-0313	Filter discs FT12 (pink) for heavy soldering (10 pcs)
210-0310	Top filter FT12 (model 93)

FT12-PF

Art. number	Description
212-5000-ESD	Pre filter cassette FT12-PF (3 pcs)
212-5001-ESD	Main filter FT12-PF
212-5002-ESD	Rebuild kit FT12-PF

FE4000

Art. number	Description
210-0309	Filter discs FE4000 (10 pcs)
210-0313	Filter discs FE4000 (pink) for heavy soldering
212-0012-ESD	Main filter FE4000

FC800

Art. number	Description
802-5000	Pre filter FC800 (10 pcs)
802-2000	Replacement filter FC800

CBC-R

Art. number	Description
F01	Replacement filter CBC-R

Replacement filters for discontinued filter systems

FE3000

Art. number	Description
210-0316	Filter discs FE3000
212-4012	Main filter FE3000

Pre filters MG-series

Art. number	Description
750-4100	Replacement filter for pre filter MG75/MG95 (5 pcs)

MG70

Art. number	Description
700-2000	Micro filter for MG70
700-2001	Gas filter for MG70

MG80S (same as for MG100S)

Art. number	Description
100-2000-ESD	Micro/gas filter MG80S, Standard
100-2003-ESD	Micro/gas filter MG80S, MEK
100-2006-ESD	Micro/gas filter MG80S, Ammonia
100-2012-ESD	Micro/gas filter MG80S, Solvents/VOC

MG350S

Art. number	Description
800-2000	Micro filter MG350S
800-2001	Gas filter MG350S, Standard
800-2003	Gas filter MG350S, MEK
800-2006	Gas filter MG350S, Ammonia

BT75

Art. number	Description
500-2000	Main filter BT75
500-4000	Pre filter BT75 (5 pcs)

FT1

Art. number	Description
210-0323-ESD	Top filter, FT1
211-0011-ESD	Main filter FT1
210-0315	Filter discs FT1 (pink) for heavy soldering (10 pcs)

FT11

Art. number	Description
210-0309	Filter discs FT11 (10 pcs)
210-0313	Filter discs FT11 (pink) for heavy soldering (10 pcs)
210-0323-ESD	Top filter FT11
212-0012-ESD	Main filter FT11

Replacement filters for discontinued filter systems

FT13

Art. number	Description
210-0323-ESD	Top filter FT13
210-0310	Top filter FT13 (model 93)
213-0013-ESD	Main filter FT13
210-0309	Filter discs FT13 (10 pcs)
210-0313	Filter discs FT13 (pink) for heavy soldering (10 pcs)

FT Electric

Art. number	Description
212-3012	Main filter FT Electric
210-0313	Filter discs (pink) for heavy soldering (10 pcs)
911-2000	Replacement filter pre filter 911

FC15-M / FC50-M

Art. number	Description
252-2000	Replacement filter for soldering smoke



Yleiselektroniikka Oyj
Luomannotko 6
PL 73, 02201 Espoo

Puh: 010 2891 220
Fax: 010 2891 270
sales@yeint.fi
www.yeint.fi