




Terminals & Splices > Splices



Splice Product Type: **DuraSeal Crimp Splice**

Terminal & Splice Type: **Splice**

Wire Size: **3 – 6 mm²**

Sealable: **Yes**

Features

Product Type Features

Splice Product Type	DuraSeal Crimp Splice
Sealable	Yes
Splice Type	Butt Splice, In-Line Splice
Insulated	Yes

Configuration Features

Splice Configuration	Single to Single
----------------------	------------------

Body Features

Insulation Sleeve Material	Nylon
Insulation Type	Pre-Insulated
Plating Material	Tin
Splice Material	Copper
Splice Color	Yellow

Contact Features

Terminal & Splice Type	Splice
------------------------	--------

Dimensions

Wire Size	3 – 6 mm ²
Splice Wire Insulation Diameter (Max)	2.8 mm[.11 in]
Splice Overall Length	37.5 mm[1.48 in]



Usage Conditions

High Temperature Rating	125 °C[257 °F]
-------------------------	----------------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	100/Box
Splice Packaging Method	Bag/Box

Other

Barrel Color	Yellow
Military Category	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CJ2087-000
HL2010E-KIT-120V

Customers Also Bought



TE Part #2098253-2
AMPSEAL 16 CONTACTS



TE Part #967398-000
D-406-0001



TE Part #320696-000
Medium-Wall Heat Shrink Tubing



TE Part #9789716001
RNF-3000-R-24/8-0



TE Part #774185P007
QS1500-NO.1-F5-0-25MM




TE Part #774185P003
QS1500-NO.1-F5-0-45MM



TE Part #958133P003
QS1500-NO.4-F8-0-50MM



TE Part #413206-097
MWTM-35/12-1000/S(S10)



TE Part #381522-097
MWTM-25/8-1000/S(S10)



TE Part #9-1393099-3
KAP-11AG-24=KA/KB/KC/KR

Documents

Product Drawings

D-406-0003

English

Datasheets & Catalog Pages

1654025_Sec8_D-406

English

Raychem Electrical Interconnect Products

English



[Agency Approvals](#)
[Agency Approval Document](#)
English