


FEMALE PLUG M12 90° ANGLED



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK or YELLOW/GREEN	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY or YELLOW/GREEN	5	GREY
						6	PINK
						7	BLUE
						8	RED

CODING REQUIRED TO IEC 61076-2-101							
DOCUMENT STATUS	P1	RELEASE DATE	2024/01/29	05:14:35			

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

7	1	LABEL YELLOW	VINYL	---
	-	PRINTING FOR CABLES lxx	---	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING BLACK	TPU	---
4	1	COUPLING NUT FEMALE	BRASS	NICKEL
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5 / 8	CONTACT M12 FEMALE	BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
DIMENSION UNITS	SCALE	molex CSE M12 XP AC FE RA XM SE UNSH PRODUCT CUSTOMER DRAWING		
mm	2:1			
GENERAL TOLERANCES (UNLESS SPECIFIED)				
ANGULAR TOL ± 1.0 °				
4 PLACES	±	EC NO: 774109 DRWN: VISHAH2 2023/12/20 CHK'D: GGA 2024/01/29 APPR: GGA 2024/01/29		
3 PLACES	±			
2 PLACES	± 0.05			
1 PLACE	± 0.1			
0 PLACES	± 0.2	INITIAL REVISION: DRWN: JMARSZALEK 2016/01/11 APPR: RSILLER 2016/04/08	DOCUMENT NUMBER 1200658471	DOC TYPE PSD
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING A3-SIZE	SERIES 120065
		MATERIAL NUMBER SEE PART LIST	CUSTOMER GENERAL MARKET	REVISION A13
		SHEET NUMBER 1 OF 5		

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

80X001XXXXXX

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
001=Plug Female
90° Angled

Cable type: See Table

Units:
M=Meter
C=Centimeter

Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

OPTIONS


H= 2 pcs. of I/D Carrier
PVC Transparent
(Cables lxx & P82 always
with 2 pcs. of I/D Carrier
even if no H in
Engineering No.)

Overmold color:
Blank (Standard)=Black TPU
Blank=Yellow TPU for cables A09,S19,S20,S26
Blank=Yellow TPE-E for cables K03,K05
A=Grey / G=Black / Y=Yellow
Blank=Yellow PVC for cable E13
Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
Blank=7 for cables I20, I26, K03, K05, P82, S26
9=Knurled / Hexagonal Brass Ni Plated SW13

COUPLING NUTS

CABLE INFORMATION(for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
A09	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661	I/II A/B 90°C/300V	-	-	-	-
E13	3	18AWG	PVC YELLOW	UL 2661/1731	I/II A/B 80°C/300V	-	-	-	-
E02	3 / 4 / 5 / 8	0.25mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E52	3 / 4 / 8	0.34mm²	PVC GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
H08	3 / 4 / 5 / 8	0.25mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H12	4	0.50mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-50°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000, Temp max 60°C	-
H69	4	0.20mm²	PUR GREY LS0H	-	-	-	-	-	-
I02	3 / 4 / 8	0.25mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I03	3 / 4 / 5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I04	4	0.50mm²	PVC CEI GREY	-	-	-25°C to +70°C	-5°C to +70°C	-	-
I20	3 / 4	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
I26	5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
K03	5	18 AMG	TPE YELLOW	PLTC 105C E470965	I/II A/B 90°C/300V	-	-	-	-
K05	3 / 4 / 5	0.34mm²	TPE YELLOW	UL ITC E195601 or PLC	I/II A/B 90°C/300V	-	-	-	-
P02	3 / 4 / 5 / 8	0.25mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P12	3 / 5	0.50mm²	PUR BLACK	-	-	-30°C to +90°C	-5°C to +90°C	-	-
P19	8	0.25mm²	PUR BLACK	-	-	-40°C to +90°C, 7.5xO.D.	-15°C to +90°C, 12.5xO.D.	2 000 000 cycles, 15xO.D.	YES
P20	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	-	-	-30°C to +80°C	-	-	YES
P82	3 / 4 / 5	0.34mm²	PUR IRR ORANGE	-	-	-50°C to +105°C, 5xO.D.	-40°C to +105°C, 7.5xO.D.	-	-
S19	8	0.25mm²	PVC YELLOW	UL 2661/1569	C22.2 II A 105°C/300V	-30°C to +105°C, 10xO.D.	-15°C to +105°C, 15xO.D.	-	YES
S20	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES
S26	5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES



SCALE 1:1

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS
mm

SCALE
1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#514486

EC NO: 774109
DRWN: VISHAH2
CHK'D: GGA
APPR: GGA
2023/12/20
2024/01/29
2024/01/29

INITIAL REVISION:
DRWN: JMARSZALEK
APPR: RSILLER
2016/01/11
2016/04/08

THIRD ANGLE PROJECTION

DRAWING
A3-SIZE

SERIES
120065

MATERIAL NUMBER
SEE PART LIST

CUSTOMER
GENERAL MARKET

SHEET NUMBER
2 OF 5

molex

CSE M12 XP AC FE RA XM SE UNSH

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
1200658471

DOC TYPE
PSD

DOC PART
000

REVISION
A13

PART LIST

No.	Part No.	Engineering No.	Cable Length
1	1200060007	803001E03M020	2m
2	1200060008	803001E03M050	5m
3	1200060009	803001E03M100	10m
4	1200060010	803001I03M050	5m
5	1200060011	803001P03M030	3m
6	1200060012	803001P03M150	15m
7	1200060013	803001P03M200	20m
8	1200060014	803001P03M250	25m
9	1200060015	803001P03M300	30m
10	1200060016	803001P03M350	35m
11	1200060017	803001P03M400	40m
12	1200060018	803001P03M450	45m
13	1200060019	803001P03M500	50m
14	1200060020	803001P03M550	55m
15	1200060021	803001P03M600	60m
16	1200060022	803001P03M650	65m
17	1200060023	803001P03M700	70m
18	1200060024	803001P03M750	75m
19	1200060025	803001P03M800	80m
20	1200060026	803001P03M850	85m
21	1200060027	803001P03M900	90m
22	1200060028	803001P03M950	95m
23	1200060029	803001P03M1000	1000m
24	1200060030	803001P03M1050	1050m
25	1200060031	803001P03M1100	1100m
26	1200060032	803001P03M1150	1150m
27	1200060033	803001P03M1200	1200m
28	1200060034	803001P03M1250	1250m
29	1200060035	803001P03M1300	1300m
30	1200060036	803001P03M1350	1350m
31	1200060037	803001P03M1400	1400m
32	1200060038	803001P03M1450	1450m
33	1200060039	803001P03M1500	1500m
34	1200060040	803001P03M1550	1550m
35	1200060041	803001P03M1600	1600m
36	1200060508	804001I03M150	15m
37	1200060510	804001P03M030	3m
38	1200060516	804001P03M150	15m
39	1200060517	804001P03M200	20m
40	1200060652	805001E03M020	2m
41	1200060653	805001E03M050	5m
42	1200060654	805001E03M100	10m
43	1200060655	805001E03M150	15m
44	1200060656	805001E03M200	20m
45	1200060657	805001E03M250	25m
46	1200060658	805001E03M300	30m
47	1200060659	805001E03M350	35m
48	1200060660	805001E03M400	40m
49	1200060661	805001E03M450	45m
50	1200060662	805001E03M500	50m
51	1200060663	805001E03M550	55m
52	1200060664	805001E03M600	60m
53	1200060665	805001E03M650	65m
54	1200060666	805001E03M700	70m
55	1200060667	805001E03M750	75m
56	1200060668	805001E03M800	80m
57	1200060669	805001E03M850	85m
58	1200060670	805001E03M900	90m
59	1200060671	805001E03M950	95m
60	1200060672	805001E03M1000	1000m
61	1200060673	805001E03M1050	1050m
62	1200060674	805001E03M1100	1100m
63	1200060675	805001E03M1150	1150m
64	1200060676	805001E03M1200	1200m
65	1200060677	805001E03M1250	1250m
66	1200060678	805001E03M1300	1300m
67	1200060679	805001E03M1350	1350m
68	1200060680	805001E03M1400	1400m
69	1200060681	805001E03M1450	1450m
70	1200060682	805001E03M1500	1500m
71	1200063645	803001E13M100	10m
72	1200063682	803001P82M0207	2m
73	1200063754	808001P02M0501A	5m
74	1200063825	805001I03M050G	5m
75	1200064124	804001E52M050	5m
76	1200064125	804001E52M100	10m
77	1200064126	804	

PART LIST

No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length
1	1200060007	803001E03M020	2m	36	1200060508	804001I03M150	15m	71	1200063645	803001E13M100	10m	106	1200656216	808001E02M200	20m
2	1200060008	803001E03M050	5m	37	1200060510	804001P03M030	3m	72	1200063682	803001P82M0207	2m	107	1200656382	808001P02M400	40m
3	1200060009	803001E03M100	10m	38	1200060516	804001P03M150	15m	73	1200063754	808001P02M0501A	5m	108	1200656595	804001E02M0501	5m
4	1200060010	803001I03M050	5m	39	1200060517	804001P03M200	20m	74	1200063825	805001I03M050G	5m	109	1200658010	804001H09M050H	5m
5	1200060011	803001P03M020	2m	40	1200060652	805001E03M020	2m	75	1200064134	804001E52M050	5m	110	1200658011	804001H09M100H	10m
6	1200060012	803001P03M050	5m	41	1200060654	805001E03M050	5m	76	1200064174	804001E03M5005	50m	111	1200658071	804001E03M050H	5m
7	1200060013	803001P03M100	10m	42	1200060655	805001E03M0501	✱ 5m	77	1200064210	803001I03M051	5.1m	112	1200658089	805001P12M020	2m
8	1200060021	804001E03M020	2m	43	1200060657	805001E03M100	10m	78	1200064244	804001I03M040	4m	113	1200658185	804001H09M150G	15m
9	1200060022	804001E03M050	5m	44	1200060663	805001P03M020	2m	79	1200064289	804001P03M400	40m	114	1200658193	804001H09M050	5m
10	1200060023	804001E03M100	10m	45	1200060664	805001P03M100	10m	80	1200064350	804001P03M120	12m	115	1200658194	804001H09M100	10m
11	1200060024	804001P03M020	2m	46	1200061336	804001E03M0205	2m	81	1200064391	804001P03M1001	10m	116	1200658234	803001E03M0501	✱ 5m
12	1200060025	804001P03M050	5m	47	1200061538	803001E03M051	5.1m	82	1200064433	804001H09M050G	5m	117	1200658245	808001H08M050	5m
13	1200060042	804001I03M050	5m	48	1200061552	803001E03M066	6.6m	83	1200064436	804001H09M100G	10m	118	1200658261	808001E02M050	5m
14	1200060175	803001E03M010	1m	49	1200061553	803001E03M058	5.8m	84	1200065013	803001P03M030G	3m	119	1200658271	804001E03M0505	5m
15	1200060178	803001E03M030	3m	50	1200061563	805001I03M050	5m	85	1200650814	804001E52M050A	5m	120	1200658296	805001H09M020	2m
16	1200060184	803001E03M150	15m	51	1200061760	805001P03M150	15m	86	1200650960	808001P02M020	2m	121	1200658297	805001H09M050	5m
17	1200060187	803001E03M200	20m	52	1200061850	805001I26M050	5m	87	1200650961	808001P02M040	4m	122	1200658298	805001H09M100	10m
18	1200060202	803001I03M020	2m	53	1200061986	804001P03M010	1m	88	1200650962	808001P02M050	5m	123	1200658310	808001E02M0501	5m
19	1200060204	803001I03M030	3m	54	1200062027	803001P03M022	2.2m	89	1200650963	808001P02M100	10m	124	1200658314	805001P03M200	20m
20	1200060205	803001I03M100	10m	55	-----	-----	10m	90	1200651567	804001A09M100	10m	125	1200658326	805001I03M015	1.5m
21	1200060212	803001P03M030	3m	56	1200062292	803001E03M003	0.3m	91	1200651571	804001A09M150	15m	126	1200658338	804001E03M050G	5m
22	1200060216	803001P03M150	15m	57	1200062313	804001P03M100H	10m	92	1200651575	804001A09M200	20m	127	1200658339	804001E03M100G	10m
23	1200060479	804001E03M010	1m	58	1200062334	805001I03M100	10m	93	1200651642	804001K05M050	5m	128	1200658359	805001E03M150	15m
24	1200060480	804001E03M0201	2m	59	1200062575	804001I03M0501	5m	94	1200651644	804001K05M100	10m	129	1200658403	803001P03M003	0.3m
25	1200060481	804001E03M030	3m	60	1200062764	805001P82M1007	10m	95	1200651771	803001E52M050A	5m	130	1200658471	805001I03M010	1m
26	1200060483	804001E03M0501	✱ 5m	61	1200062837	803001P03M006	0.6m	96	1200651783	804001P03M020G	2m	131	1200658482	804001E03M015	1.5m
27	1200060485	804001E03M1001	✱ 10m	62	1200062838	808001E52M100	10m	97	1200651785	804001P03M050G	5m	132	1200658483	808001P02M150	15m
28	1200060486	804001E03M150	15m	63	1200062851	803001I03M025	2.5m	98	1200651787	804001P03M100	10m	133	-----	-----	1m
29	1200060487	804001E03M200	20m	64	1200063286	803001E13M030	3m	99	1200651793	805001P03M050	5m	134	1200658513	804001H09M020	2m
30	1200060488	804001E03M250	25m	65	1200063320	803001E13M060	6m	100	1200651797	808001E52M020	2m	135	1200658541	804001E03M070	7m
31	1200060489	804001E03M300	30m	66	1200063340	803001P03M025	2.5m	101	1200652147	804001P03M040	4m	136	1200658564	803001E03M040	4m
32	1200060492	804001E52M100A	10m	67	1200063386	805001P82M0507	5m	102	1200655050	803001E52M050	5m	137	1200658573	805001E03M010	1m
33	1200060503	804001I03M020	2m	68	1200063532	804001I03M0505	5m	103	1200655071	805001P82M0207	2m	138	1200658574	805001E03M030	3m
34	1200060505	804001I03M030	3m	69	1200063563	804001I04M030G	3m	104	1200656064	805001E03M0271	2.7m	139	1200658575	805001E03M040	4m
35	1200060507	804001I03M100	10m	70	1200063564	805001I26M100	10m	105	1200656065	808001E02M0601	6m	140	1200658585	808001E02M010	1m

NOTES:
✱ - Part No. with Yellow PVC overmolding

					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE 1:1 GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0 ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 120065 CURRENT REV DESC: REMOVED OBSOLETED PART NUMBERS AS PER PCN#514486 EC NO: 774109 DRWN: VISHAH2 CHK'D: GGA APPR: GGA 2023/12/20 2024/01/29 2024/01/29 INITIAL REVISION: DRWN: JMARSZALEK APPR: RSILLER 2016/01/11 2016/04/08 molex CSE M12 XP AC FE RA XM SE UNSH PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER 1200658471 DOC TYPE PSD DOC PART 000 REVISION A13 MATERIAL NUMBER SEE PART LIST CUSTOMER GENERAL MARKET SHEET NUMBER 3 OF 5									
DOCUMENT STATUS	P1	RELEASE DATE	2024/01/29	05:14:35										

PART LIST

No.	Part No.	Engineering No.	Cable Length
141	1200658586	808001E02M020	2m
142	1200658587	808001E02M030	3m
143	1200658589	808001E02M100	10m
144	1200658594	803001I03M040	4m
145	1200658607	805001I03M030	3m
146	1200658608	805001I03M040	4m
147	1200658619	808001P02M010	1m
148	1200658649	808001H08M020	2m
149	1200658652	808001H08M100	10m
150	1200658664	805001H09M010	1m
151	1200658666	805001H09M030	3m
152	1200658668	804001H09M010	1m
153	1200658670	804001H09M030	3m
154	1200658683	808001I02M010	1m
155	1200658684	808001I02M020	2m
156	1200658685	808001I02M030	3m
157	1200658686	808001I02M040	4m
158	1200658687	808001I02M050	5m
159	1200658688	808001I02M100	10m
160	1200658707	804001I03M010G	1m
161	1200658708	804001I03M020G	2m
162	1200658709	804001I03M030G	3m
163	1200658710	804001I03M040G	4m
164	1200658711	804001I03M050G	5m
165	1200658712	804001I03M100G	10m
166	1200658713	803001H09M010	1m
167	1200658715	803001H09M020	2m
168	1200658718	803001H09M050	5m
169	1200658719	803001H09M100	10m
170	1200658931	808001E02M150	15m
171	1200658932	808001E02M250	25m
172	1200658933	805001P12M050	5m
173	1200658934	805001P12M100	10m
174	1200658992	804001P03M050H	5m
175	1200659032	804001E02M050	5m

No.	Part No.	Engineering No.	Cable Length
176	1200659033	804001E02M100	10m
177	1200659039	804001E02M070	7m
178	1200659048	804001E02M1001	10m
179	1200659068	804001I03M050Y	5m
180	1200659078	804001I03M100Y	10m
181	1200659084	805001I26M050Y	5m
182	1200659095	804001H09M050HY	5m
183	1200659112	804001H12M050	5m
184	1200659117	805001I26M100Y	10m
185	1200659118	803001I03M050Y	5m
186	1200659120	803001I03M030Y	3m
187	1200659121	803001I03M100Y	10m
188	1200659124	804001H09M100HY	10m
189	1200659140	805001H09M200	20m
190	1200659147	805001E03M200	20m
191	1200659160	804001I03M020Y	2m
192	1200659164	804001E03M025	2.5m
193	1200659168	803001I03M025Y	2.5m
194	1200659173	803001E03M050H	5m
195	1200659181	803001E03M100H	10m
196	1200659182	804001E03M020H	2m
197	1200659235	803001E03M300	30m
198	1200659251	804001H12M010	1m
199	1200659252	804001H12M030	3m
200	1200659266	804001P03M020Y	2m
201	1200659270	804001H12M100	10m
202	1200659342	804001P03M1501	15m
203	1200659343	804001P03M2501	25m
204	1200659361	804001I03M030Y	3m
205	1200659373	803001E02M030	3m
206	1200659398	808001P02M100Y	10m
207	1200659592	805001E03M080	8m
208	1200659637	808001E02M1001	10m
209	1200659771	804001H12M1009	10m
210	1200659772	804001H12M0309	✱ 3m

No.	Part No.	Engineering No.	Cable Length
211	1200659773	804001H12M0509	✱ 5m
212	1200659775	803001P03M050HY	5m
213	1200658588	808001E02M040	4m
214	1200060482	804001E03M040	4m
215	1200061540	803001E03M033	3.3m
216	1200061541	803001E03M022	2.2m
217	1200061542	803001E03M011	1.1m
218	1200063648	804001E03M2001	20m
219	1200064145	804001E03M3001	30m
220	1200064402	804001E03M005	0.5m
221	1200658884	804001E03M100H	10m
222	1200658898	804001E03M150H	15m
223	1200659352	805001E03M1001	10m
224	1200659353	805001E03M2501	25m
225	1200659502	805001E03M005	0.5m
226	1200658647	808001H08M010	1m
227	1200658648	808001H08M015	✱ 1.5m
228	1200658650	808001H08M030	✱ 3m
229	1200658651	808001H08M040	4m
230	1200658196	804001H09M200	20m
231	1200658665	805001H09M015	1.5m
232	1200658667	805001H09M040	✱ 4m
233	1200658669	804001H09M015	✱ 1.5m
234	1200658671	804001H09M040	4m
235	1200658714	803001H09M015	1.5m
236	1200658716	803001H09M030	3m
237	1200658717	803001H09M040	4m
238	1200659675	804001H09M220	22m
239	1200658620	808001P02M030	3m
240	1200061318	803001P03M010	1m
241	1200063405	804001P03M003	0.3m
242	1200063793	804001P03M140	14m
243	1200652156	805001P03M060	6m
244	1200656575	805001P03M300	30m
245	1200658184	805001P03M040	4m

No.	Part No.	Engineering No.	Cable Length
246	1200658206	804001P03M060	6m
247	1200658311	803001P03M200	20m
248	1200658312	803001P03M300	30m
249	1200658611	803001P03M040	4m
250	1200658617	805001P03M010	1m
251	1200658627	805001P03M030	3m
252	1200651639	804001K05M020	2m
253	1200651640	804001K05M030	3m
254	1200651628	804001K03M050	5m
255	1200651634	804001K03M100	10m
256	1200651720	805001K03M020	2m
257	1200651722	805001K03M050	5m
258	1200652155	805001K03M100	10m
259	1200658783	804001E03M060	6m
260	1200651557	804001A09M0402	4m
261	1200651558	804001A09M050	5m
262	1200651560	804001A09M0502	5m
263	1200651562	804001A09M060	6m
264	1200651564	804001A09M070	7m
265	1200651565	804001A09M080	8m
266	1200651566	804001A09M090	9m
267	1200651569	804001A09M120	12m
268	1200651573	804001A09M170	17m
269	1200651574	804001A09M180	18m
270	1200651696	805001A09M005	0.5m
271	1200651697	805001A09M020	2m
272	1200651699	805001A09M0202	2m
273	1200651700	805001A09M040	4m
274	1200651701	805001A09M050	5m
275	1200651703	805001A09M060	6m
276	1200651704	805001A09M070	7m
277	1200651705	805001A09M080	8m
278	1200651706	805001A09M100	10m
279	1200651708	805001A09M1002	10m
280	1200651868	805001A09M0708	7m

NOTES:
- Part No. with Yellow PVC overmolding

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#514486			molex CSE M12 XP AC FE RA XM SE UNSH					
mm		1:1										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 774109 DRWN: VISHAH2 CHK'D: GGA APPR: GGA INITIAL REVISION: DRWN: JMARSZALEK APPR: RSILLER						DOCUMENT NUMBER		DOC TYPE
ANGULAR TOL		± 1.0 °					1200658471		PSD	000	A13	
4 PLACES		±					2023/12/20					
3 PLACES		±					2024/01/29					
2 PLACES		± 0.05										
1 PLACE		± 0.1										
0 PLACES		± 0.2										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						A3-SIZE	120065	SEE PART LIST		GENERAL MARKET		4 OF 5

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																								
F	PART LIST										F																																																																																																																																																																																																																																																																																							
E	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>281</td><td>1200651949</td><td>804001A09M0602</td><td>6m</td></tr> <tr><td>282</td><td>1200651983</td><td>805001A09M030</td><td>3m</td></tr> <tr><td>283</td><td>1200651985</td><td>803001A09M0202</td><td>2m</td></tr> <tr><td>284</td><td>1200652078</td><td>804001A09M0302</td><td>3m</td></tr> <tr><td>285</td><td>1200652079</td><td>805001A09M300</td><td>30m</td></tr> <tr><td>286</td><td>1200652111</td><td>805001A09M150</td><td>15m</td></tr> <tr><td>287</td><td>1200652122</td><td>805001A09M0502</td><td>5m</td></tr> <tr><td>288</td><td>1200652170</td><td>804001A09C2508</td><td>0.25m</td></tr> <tr><td>289</td><td>1200652197</td><td>805001A09M1508</td><td>15m</td></tr> <tr><td>290</td><td>1200652216</td><td>804001A09M0708</td><td>7m</td></tr> <tr><td>291</td><td>1200652419</td><td>804001A09M2008</td><td>20m</td></tr> <tr><td>292</td><td>1200652439</td><td>804001A09M0108</td><td>1m</td></tr> <tr><td>293</td><td>1200659215</td><td>805001A09M010</td><td>1m</td></tr> <tr><td>294</td><td>1200659216</td><td>805001A09M200</td><td>20m</td></tr> <tr><td>295</td><td>1202010010</td><td>804001A09M250</td><td>25m</td></tr> <tr><td>296</td><td>1200060221</td><td>803001S20M020</td><td>2m</td></tr> <tr><td>297</td><td>1200060222</td><td>803001S20M030</td><td>3m</td></tr> <tr><td>298</td><td>1200060224</td><td>803001S20M050</td><td>5m</td></tr> <tr><td>299</td><td>1200659374</td><td>804001S20M350</td><td>35m</td></tr> <tr><td>300</td><td>1200659774</td><td>808001S19M150</td><td>15m</td></tr> <tr><td>301</td><td>1200659810</td><td>805001S26M200</td><td>20m</td></tr> <tr><td>302</td><td>1200060225</td><td>803001S20M100</td><td>10m</td></tr> <tr><td>303</td><td>1200060527</td><td>804001S20M010</td><td>1m</td></tr> <tr><td>304</td><td>1200060528</td><td>804001S20M020</td><td>2m</td></tr> <tr><td>305</td><td>1200060529</td><td>804001S20M030</td><td>3m</td></tr> <tr><td>306</td><td>1200060531</td><td>804001S20M050</td><td>5m</td></tr> <tr><td>307</td><td>1200061612</td><td>804001S20M030H</td><td>3m</td></tr> <tr><td>308</td><td>1200062121</td><td>804001S20M060</td><td>6m</td></tr> <tr><td>309</td><td>1200062148</td><td>804001I20M160</td><td>16m</td></tr> <tr><td>310</td><td>1200062160</td><td>804001S20M100H</td><td>10m</td></tr> <tr><td>311</td><td>1200062374</td><td>804001S20M020H</td><td>2m</td></tr> <tr><td>312</td><td>1200062502</td><td>804001S20M050H</td><td>5m</td></tr> <tr><td>313</td><td>1200062589</td><td>804001S20M010H</td><td>1m</td></tr> <tr><td>314</td><td>1200062919</td><td>804001P20M100</td><td>10m</td></tr> <tr><td>315</td><td>1200062922</td><td>804001P20M050</td><td>5m</td></tr> </table>	No.	Part No.	Engineering No.	Cable Length	281	1200651949	804001A09M0602	6m	282	1200651983	805001A09M030	3m	283	1200651985	803001A09M0202	2m	284	1200652078	804001A09M0302	3m	285	1200652079	805001A09M300	30m	286	1200652111	805001A09M150	15m	287	1200652122	805001A09M0502	5m	288	1200652170	804001A09C2508	0.25m	289	1200652197	805001A09M1508	15m	290	1200652216	804001A09M0708	7m	291	1200652419	804001A09M2008	20m	292	1200652439	804001A09M0108	1m	293	1200659215	805001A09M010	1m	294	1200659216	805001A09M200	20m	295	1202010010	804001A09M250	25m	296	1200060221	803001S20M020	2m	297	1200060222	803001S20M030	3m	298	1200060224	803001S20M050	5m	299	1200659374	804001S20M350	35m	300	1200659774	808001S19M150	15m	301	1200659810	805001S26M200	20m	302	1200060225	803001S20M100	10m	303	1200060527	804001S20M010	1m	304	1200060528	804001S20M020	2m	305	1200060529	804001S20M030	3m	306	1200060531	804001S20M050	5m	307	1200061612	804001S20M030H	3m	308	1200062121	804001S20M060	6m	309	1200062148	804001I20M160	16m	310	1200062160	804001S20M100H	10m	311	1200062374	804001S20M020H	2m	312	1200062502	804001S20M050H	5m	313	1200062589	804001S20M010H	1m	314	1200062919	804001P20M100	10m	315	1200062922	804001P20M050	5m	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>316</td><td>1200063109</td><td>804001S20M1001</td><td>10m</td></tr> <tr><td>317</td><td>1200063165</td><td>805001P20M050</td><td>5m</td></tr> <tr><td>318</td><td>1200064184</td><td>804001P20M250</td><td>25m</td></tr> <tr><td>319</td><td>1200064268</td><td>808001S19M100</td><td>10m</td></tr> <tr><td>320</td><td>1200064380</td><td>804001S20M0201</td><td>2m</td></tr> <tr><td>321</td><td>1200064381</td><td>804001S20M0501</td><td>5m</td></tr> <tr><td>322</td><td>1200064452</td><td>804001S20M3001</td><td>30m</td></tr> <tr><td>323</td><td>1200064457</td><td>803001S20M0501</td><td>5m</td></tr> <tr><td>324</td><td>1200650910</td><td>804001S20M100</td><td>10m</td></tr> <tr><td>325</td><td>1200655008</td><td>808001P19M050</td><td>5m</td></tr> <tr><td>326</td><td>1200658090</td><td>805001S26M100</td><td>10m</td></tr> <tr><td>327</td><td>1200658187</td><td>804001S20M200</td><td>20m</td></tr> <tr><td>328</td><td>1200658203</td><td>805001S26M1001</td><td>10m</td></tr> <tr><td>329</td><td>1200658276</td><td>804001I20M100</td><td>10m</td></tr> <tr><td>330</td><td>1200658287</td><td>803001I20M100</td><td>10m</td></tr> <tr><td>331</td><td>1200658324</td><td>804001P20M030</td><td>3m</td></tr> <tr><td>332</td><td>1200658328</td><td>808001P19M100</td><td>10m</td></tr> <tr><td>333</td><td>1200658510</td><td>804001S20M2001</td><td>20m</td></tr> <tr><td>334</td><td>1200658544</td><td>808001P19M250</td><td>25m</td></tr> <tr><td>335</td><td>1200658547</td><td>803001P20M150</td><td>15m</td></tr> <tr><td>336</td><td>1200658875</td><td>803001S20M0201G</td><td>2m</td></tr> <tr><td>337</td><td>1200659029</td><td>804001S20M150</td><td>15m</td></tr> <tr><td>338</td><td>1200659114</td><td>805001S26M050</td><td>5m</td></tr> <tr><td>339</td><td>1200659156</td><td>805001S26M2001</td><td>20m</td></tr> <tr><td>340</td><td>1200659240</td><td>803001P20M100HY</td><td>10m</td></tr> <tr><td>341</td><td>1200657238</td><td>805001E03M250</td><td>25m</td></tr> <tr><td>342</td><td>1200657145</td><td>804001P03M006</td><td>0.6m</td></tr> <tr><td>343</td><td>1200657146</td><td>804001P03M070</td><td>7m</td></tr> <tr><td>344</td><td>1200657147</td><td>804001P03M080</td><td>8m</td></tr> <tr><td>345</td><td>1200657148</td><td>804001E03M003</td><td>0.3m</td></tr> <tr><td>346</td><td>1200657149</td><td>804001E03M006</td><td>0.6m</td></tr> <tr><td>347</td><td>1200657150</td><td>804001E03M080</td><td>8m</td></tr> <tr><td>348</td><td>1200657185</td><td>805001E03M015</td><td>1.5m</td></tr> <tr><td>349</td><td>1200658573</td><td>805001E03M010</td><td>1m</td></tr> <tr><td>350</td><td>1200657265</td><td>805001H09M500</td><td>50</td></tr></table>	No.	Part No.	Engineering No.	Cable Length	316	1200063109	804001S20M1001	10m	317	1200063165	805001P20M050	5m	318	1200064184	804001P20M250	25m	319	1200064268	808001S19M100	10m	320	1200064380	804001S20M0201	2m	321	1200064381	804001S20M0501	5m	322	1200064452	804001S20M3001	30m	323	1200064457	803001S20M0501	5m	324	1200650910	804001S20M100	10m	325	1200655008	808001P19M050	5m	326	1200658090	805001S26M100	10m	327	1200658187	804001S20M200	20m	328	1200658203	805001S26M1001	10m	329	1200658276	804001I20M100	10m	330	1200658287	803001I20M100	10m	331	1200658324	804001P20M030	3m	332	1200658328	808001P19M100	10m	333	1200658510	804001S20M2001	20m	334	1200658544	808001P19M250	25m	335	1200658547	803001P20M150	15m	336	1200658875	803001S20M0201G	2m	337	1200659029	804001S20M150	15m	338	1200659114	805001S26M050	5m	339	1200659156	805001S26M2001	20m	340	1200659240	803001P20M100HY	10m	341	1200657238	805001E03M250	25m	342	1200657145	804001P03M006	0.6m	343	1200657146	804001P03M070	7m	344	1200657147	804001P03M080	8m	345	1200657148	804001E03M003	0.3m	346	1200657149	804001E03M006	0.6m	347	1200657150	804001E03M080	8m	348	1200657185	805001E03M015	1.5m	349	1200658573	805001E03M010	1m	350	1200657265	805001H09M500	50
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																																																																																																																																															
281	1200651949	804001A09M0602	6m																																																																																																																																																																																																																																																																																															
282	1200651983	805001A09M030	3m																																																																																																																																																																																																																																																																																															
283	1200651985	803001A09M0202	2m																																																																																																																																																																																																																																																																																															
284	1200652078	804001A09M0302	3m																																																																																																																																																																																																																																																																																															
285	1200652079	805001A09M300	30m																																																																																																																																																																																																																																																																																															
286	1200652111	805001A09M150	15m																																																																																																																																																																																																																																																																																															
287	1200652122	805001A09M0502	5m																																																																																																																																																																																																																																																																																															
288	1200652170	804001A09C2508	0.25m																																																																																																																																																																																																																																																																																															
289	1200652197	805001A09M1508	15m																																																																																																																																																																																																																																																																																															
290	1200652216	804001A09M0708	7m																																																																																																																																																																																																																																																																																															
291	1200652419	804001A09M2008	20m																																																																																																																																																																																																																																																																																															
292	1200652439	804001A09M0108	1m																																																																																																																																																																																																																																																																																															
293	1200659215	805001A09M010	1m																																																																																																																																																																																																																																																																																															
294	1200659216	805001A09M200	20m																																																																																																																																																																																																																																																																																															
295	1202010010	804001A09M250	25m																																																																																																																																																																																																																																																																																															
296	1200060221	803001S20M020	2m																																																																																																																																																																																																																																																																																															
297	1200060222	803001S20M030	3m																																																																																																																																																																																																																																																																																															
298	1200060224	803001S20M050	5m																																																																																																																																																																																																																																																																																															
299	1200659374	804001S20M350	35m																																																																																																																																																																																																																																																																																															
300	1200659774	808001S19M150	15m																																																																																																																																																																																																																																																																																															
301	1200659810	805001S26M200	20m																																																																																																																																																																																																																																																																																															
302	1200060225	803001S20M100	10m																																																																																																																																																																																																																																																																																															
303	1200060527	804001S20M010	1m																																																																																																																																																																																																																																																																																															
304	1200060528	804001S20M020	2m																																																																																																																																																																																																																																																																																															
305	1200060529	804001S20M030	3m																																																																																																																																																																																																																																																																																															
306	1200060531	804001S20M050	5m																																																																																																																																																																																																																																																																																															
307	1200061612	804001S20M030H	3m																																																																																																																																																																																																																																																																																															
308	1200062121	804001S20M060	6m																																																																																																																																																																																																																																																																																															
309	1200062148	804001I20M160	16m																																																																																																																																																																																																																																																																																															
310	1200062160	804001S20M100H	10m																																																																																																																																																																																																																																																																																															
311	1200062374	804001S20M020H	2m																																																																																																																																																																																																																																																																																															
312	1200062502	804001S20M050H	5m																																																																																																																																																																																																																																																																																															
313	1200062589	804001S20M010H	1m																																																																																																																																																																																																																																																																																															
314	1200062919	804001P20M100	10m																																																																																																																																																																																																																																																																																															
315	1200062922	804001P20M050	5m																																																																																																																																																																																																																																																																																															
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																																																																																																																																															
316	1200063109	804001S20M1001	10m																																																																																																																																																																																																																																																																																															
317	1200063165	805001P20M050	5m																																																																																																																																																																																																																																																																																															
318	1200064184	804001P20M250	25m																																																																																																																																																																																																																																																																																															
319	1200064268	808001S19M100	10m																																																																																																																																																																																																																																																																																															
320	1200064380	804001S20M0201	2m																																																																																																																																																																																																																																																																																															
321	1200064381	804001S20M0501	5m																																																																																																																																																																																																																																																																																															
322	1200064452	804001S20M3001	30m																																																																																																																																																																																																																																																																																															
323	1200064457	803001S20M0501	5m																																																																																																																																																																																																																																																																																															
324	1200650910	804001S20M100	10m																																																																																																																																																																																																																																																																																															
325	1200655008	808001P19M050	5m																																																																																																																																																																																																																																																																																															
326	1200658090	805001S26M100	10m																																																																																																																																																																																																																																																																																															
327	1200658187	804001S20M200	20m																																																																																																																																																																																																																																																																																															
328	1200658203	805001S26M1001	10m																																																																																																																																																																																																																																																																																															
329	1200658276	804001I20M100	10m																																																																																																																																																																																																																																																																																															
330	1200658287	803001I20M100	10m																																																																																																																																																																																																																																																																																															
331	1200658324	804001P20M030	3m																																																																																																																																																																																																																																																																																															
332	1200658328	808001P19M100	10m																																																																																																																																																																																																																																																																																															
333	1200658510	804001S20M2001	20m																																																																																																																																																																																																																																																																																															
334	1200658544	808001P19M250	25m																																																																																																																																																																																																																																																																																															
335	1200658547	803001P20M150	15m																																																																																																																																																																																																																																																																																															
336	1200658875	803001S20M0201G	2m																																																																																																																																																																																																																																																																																															
337	1200659029	804001S20M150	15m																																																																																																																																																																																																																																																																																															
338	1200659114	805001S26M050	5m																																																																																																																																																																																																																																																																																															
339	1200659156	805001S26M2001	20m																																																																																																																																																																																																																																																																																															
340	1200659240	803001P20M100HY	10m																																																																																																																																																																																																																																																																																															
341	1200657238	805001E03M250	25m																																																																																																																																																																																																																																																																																															
342	1200657145	804001P03M006	0.6m																																																																																																																																																																																																																																																																																															
343	1200657146	804001P03M070	7m																																																																																																																																																																																																																																																																																															
344	1200657147	804001P03M080	8m																																																																																																																																																																																																																																																																																															
345	1200657148	804001E03M003	0.3m																																																																																																																																																																																																																																																																																															
346	1200657149	804001E03M006	0.6m																																																																																																																																																																																																																																																																																															
347	1200657150	804001E03M080	8m																																																																																																																																																																																																																																																																																															
348	1200657185	805001E03M015	1.5m																																																																																																																																																																																																																																																																																															
349	1200658573	805001E03M010	1m																																																																																																																																																																																																																																																																																															
350	1200657265	805001H09M500	50																																																																																																																																																																																																																																																																																															

No.	Part No.	Engineering No.	Cable Length
316	1200063109	804001S20M1001	10m
317	1200063165	805001P20M050	5m
318	1200064184	804001P20M250	25m
319	1200064268	808001S19M100	10m
320	1200064380	804001S20M0201	2m
321	1200064381	804001S20M0501	5m
322	1200064452	804001S20M3001	30m
323	1200064457	803001S20M0501	5m
324	1200650910	804001S20M100	10m
325	1200655008	808001P19M050	5m
326	1200658090	805001S26M100	10m
327	1200658187	804001S20M200	20m
328	1200658203	805001S26M1001	10m
329	1200658276	804001I20M100	10m
330	1200658287	803001I20M100	10m
331	1200658324	804001P20M030	3m
332	1200658328	808001P19M100	10m
333	1200658510	804001S20M2001	20m
334	1200658544	808001P19M250	25m
335	1200658547	803001P20M150	15m
336	1200658875	803001S20M0201G	2m
337	1200659029	804001S20M150	15m
338	1200659114	805001S26M050	5m
339	1200659156	805001S26M2001	20m
340	1200659240	803001P20M100HY	10m
341	1200657238	805001E03M250	25m
342	1200657145	804001P03M006	0.6m
343	1200657146	804001P03M070	7m
344	1200657147	804001P03M080	8m
345	1200657148	804001E03M003	0.3m
346	1200657149	804001E03M006	0.6m
347	1200657150	804001E03M080	8m
348	1200657185	805001E03M015	1.5m
349	1200658573	805001E03M010	1m
350	1200657265	805001H09M500	50m

DOCUMENT STATUS	P1	RELEASE DATE	2024/01/29	05:14:35
-----------------	----	--------------	------------	----------