








WIRING CONFIGURATION



GASKET AND SCREW TYPES



SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		molex				
	DIMENSION UNITS mm	SCALE 1:1					
	GENERAL TOLERANCES (UNLESS SPECIFIED)		CURRENT REV DESC:				
	ANGULAR TOL ± °		EC NO: 758064 DRWN: APAWLAK01 2023/07/28 CHK'D: RSILLER 2023/07/28 APPR: RSILLER 2023/07/28				
	4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±		INITIAL REVISION: DRWN: JMARSZALEK 2012/10/30 APPR: MIWASIECZKO 2012/11/09				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING A3-SIZE	SERIES 121050	MATERIAL NUMBER SEE SHEET 3	CUSTOMER GENERAL MARKET	SHEET NUMBER 1 OF 3

ENGINEERING PART No. KEY MATRIX

E 4 9 2 X X X X X X X X X X X

E - Packing without bag
W - Single Packing
Q - Quick Packing

Number of wires:
1- 2 Wires
2- 3 Wires
3- 4 Wires
5- SMC COMPATIBLE 2 WIRES
6- SMC COMPATIBLE 3 WIRES
7- SMC COMPATIBLE 4 WIRES

Cable type:
See Table

Head Colour:
G - Grey
N - Black
T - Transparent
A - CSA-UL Black
B - CSA-UL Grey

Cable Length in[cm]
050 = 50cm
300 = 300cm
10K = 1000cm

Earth PIN location (see insert orientation table):
1 = Double Earth on 6H & 12H
2 = Earth on 12H
6 = Earth on 6H

INTERNAL CIRCUIT
WIRING CONFIGURATION

VOLTAGE AND LED COLOUR :

1 - 12V
2 - 24V
3 - 48V
4 - 115V
5 - 230V

A - 12V
B - 24V
C - 48V
D - 115V
E - 230V

G - 12V
H - 24V
K - 48V
L - 115V
M - 230V

RED LED

GREEN LED

YELLOW LED

Type of Gasket and Screw (see sheet 1) :
1 = NBR Profile Gasket + Fixing Screw M2.5x22.5mm
2 = NBR Flat Gasket + Fixing Screw M2.5x22.5mm
3 = Silicone Profile Gasket + Fixing Screw M2.5x22.5mm
4 = Silicone Flat Gasket + Fixing Screw M2.5x22.5mm
T = NBR Profile Gasket + Fixing Screw with Washer M2.5x23mm

CABLE TYPE TABLE

MOLEX PN	NO. OF WIRES CODE (SEE PN MATRIX)	CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE O.D.	CABLE JACKET	WIRES COLOR
1210180128	2	A2	3	AWG 20	Ø5.6±0.2 mm	PVC BLACK	BN, BU, GN/YE
1210180284	2	I2	3	0.5mm²	Ø5.5±0.3 mm	PVC GREY	BN, BU, GN/YE
1202092753	2	N2	3	0.5mm²	Ø5.5±0.2 mm	PVC BLACK	BN, BU, GN/YE
1202092439	2	P2	3	0.5mm²	Ø5.5±0.3 mm	PUR BLACK	BN, BU, GN/YE
1210180126	2	B2	3	AWG 20	Ø5.6±0.2 mm	PUR BLACK	BN, BU, GN/YE
1210180122	2	D2	3	0.5mm²	Ø5.5±0.2 mm	PVC GREY	BN, BU, GN/YE
1552200108	2	W2	3	AWG 21	Ø5.6mm	PVC GREY	BN, BU, GN/YE

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▼ = 0 ▽ = 0 ☒ = 0 ■ = 0 ▽ = 0		DIMENSION UNITS		SCALE		CURRENT REV DESC:					
		mm		1:1							
▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▼ = 0 ▽ = 0 ☒ = 0 ■ = 0 ▽ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				molex E492XXXXXXXXXXX FORM C EN 175301-803					
		ANGULAR TOL ± °									
		4 PLACES ±									
		3 PLACES ±									
▽ = 0 ▼ = 0 ▽ = 0		2 PLACES ±				EC NO: 758064					
		1 PLACE ±									
☒ = 0 ■ = 0 ▽ = 0		0 PLACES ±				DRWN: APAWLAK01 2023/07/28					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
▽ = 0		THIRD ANGLE PROJECTION				CHK'D: RSILLER 2023/07/28					
											
▽ = 0		DRAWING				APPR: RSILLER 2023/07/28					
		A3-SIZE									
▽ = 0		SERIES				INITIAL REVISION:					
		121050									
▽ = 0		MATERIAL NUMBER				DRWN: JMARSZALEK 2012/10/30					
		SEE SHEET 3									
▽ = 0		CUSTOMER				APPR: MIWASIECZKO 2012/11/09					
		GENERAL MARKET									
▽ = 0		SHEET NUMBER				SD-121050-002					
		2 OF 3									
▽ = 0		DOCUMENT NUMBER				PSD					
		DOC TYPE									
▽ = 0		DOC PART				001					
		REVISION									
▽ = 0		B2				SD-121050-002					
		SD-121050-002									

PART LIST

MOLEX P/N	ENG No.	LENGTH(mm)
1210501425	E492A2A30012C4H	3000
1210501426	E492A2A30012C4L	3000
1210501428	E492B2A10012C4H	1000
1210501429	E492B2A50012C4H	5000
1210501430	E492D2G40011C42	4000
1210501436	E492I2N10K11C4H	10000
1210501441	E492I2N20011C42	2000
1210501444	E492I2N25011C4H	2500
1210501446	E492I2N30011C42	3000
1210501447	E492I2N30011C4H	3000
1210501453	E492I2N50011C4H	5000
1210501465	E492N2N10011C45	1000
1210501466	E492N2N10011C4H	1000
1210501467	E492N2N10012A11	1000
1210501469	E492N2N10012A14	1000
1210501472	E492N2N10012C45	1000
1210501473	E492N2N10012C4H	1000
1210501474	E492N2N10012C4L	1000
1210501475	E492N2N10K11C4H	10000
1210501476	E492N2N10K11S0H	10000
1210501486	E492N2N20011A1H	2000
1210501488	E492N2N20011C42	2000
1210501490	E492N2N20011C4B	2000
1210501493	E492N2N20011C4H	2000
1210501494	E492N2N20012A12	2000
1210501495	E492N2N20012A14	2000
1210501496	E492N2N20012C41	2000
1210501497	E492N2N20012C42	2000
1210501498	E492N2N20012C44	2000
1210501500	E492N2N20012C4H	2000
1210501501	E492N2N20012C4L	2000
1210501503	E492N2N30011C32	3000
1210501504	E492N2N30011C42	3000
1210501505	E492N2N30011C44	3000
1210501506	E492N2N30011C45	3000
1210501507	E492N2N30011C4B	3000
1210501508	E492N2N30011C4C	3000
1210501511	E492N2N30011C4H	3000
1210501513	E492N2N30011C4M	3000
1210501517	E492N2N30012C42	3000
1210501520	E492N3N30012C4H	3000
1210501521	E492N2N30012C4L	3000
1210501526	E492N2N50011C42	5000
1210501527	E492N2N50011C4B	5000
1210501529	E492N2N50011C4H	5000
1210501531	E492N2N50012C42	5000
1210501532	E492N2N50012C4H	5000
1210501533	E492N2N50012C4L	5000
1210501535	E492P2N06011C4H	600
1210501537	E492P2N10012C4H	1000
1210501538	E492P2N10012C4L	1000
1210501539	E492P2N10K11C4H	10000
1210501543	E492N2N30012C4H	3000

MOLEX P/N	ENG No.	LENGTH(mm)
1210501544	E492P2N30012C4L	3000
1210501546	E492P2N50011C4H	5000
1210501548	E492P2N50012C4L	5000
1210501549	E492P2N80011C42	8000
1210501564	E492I2N20011A1H	2000
1210501602	E492A2A10012C4H	1000
1210501721	E492B2A11011C4H	1100
1210501730	E492B2A10012C4L	1000
1210501788	E492N2N30021C4H	3000
1210501811	E492B2A20011C4H	2000
1210501964	E492P2N07011C4H	700
1210501991	E492A2A10012C42	1000
1210502006	E492A2A50011S0H	5000
1210502010	E492A2A15011S0H	1500
1210502011	E492B2A50011C4H	5000
1210502045	E492A2A30011S0H	3000
1210502127	E492A2A20011S0H	2000
1210502168	E492A2A10011S0H	1000
1210502200	E492B2A50012C4L	5000
1210502217	E492B2A04011C4H	400
1210502287	E492A2A10K11S0H	10000
1210502330	E492N2N10011C3H	1000
1210502349	E492I2N30062A1H	3000
1210502448	E492I2N20011A12	2000
1210502456	E492A2A70011S0H	7000
1210502494	E492N2N20011C32	2000
1210502508	E492A2A30021C42	3000
1210502509	E492A2A30021C44	3000
1210502516	E492I2N30011C3H	3000
1210502529	E492P2N10K1TC4H	10000
1210502544	E492N2N30011A15	3000
1210502547	E492A2A50011C4H	5000
1210502560	E492I2G50011C4H	5

	MOLEX P/N	ENG No.	LENGTH(mm)
	1210501544	E492P2N30012C4L	3000
	1210501546	E492P2N50011C4H	5000
	1210501548	E492P2N50012C4L	5000
	1210501549	E492P2N80011C42	8000
	1210501564	E492I2N20011A1H	2000
	1210501602	E492A2A10012C4H	1000
	1210501721	E492B2A11011C4H	1100
	1210501730	E492B2A10012C4L	1000
	1210501788	E492N2N30021C4H	3000
	1210501811	E492B2A20011C4H	2000
	1210501964	E492P2N07011C4H	700
	1210501991	E492A2A10012C42	1000
	1210502006	E492A2A50011S0H	5000
	1210502010	E492A2A15011S0H	1500
	1210502011	E492B2A50011C4H	5000
	1210502045	E492A2A30011S0H	3000
	1210502127	E492A2A20011S0H	2000
	1210502168	E492A2A10011S0H	1000
	1210502200	E492B2A50012C4L	5000
	1210502217	E492B2A04011C4H	400
	1210502287	E492A2A10K11S0H	10000
	1210502330	E492N2N10011C3H	1000
	1210502349	E492I2N30062A1H	3000
	1210502448	E492I2N20011A12	2000
	1210502456	E492A2A70011S0H	7000
	1210502494	E492N2N20011C32	2000
	1210502508	E492A2A30021C42	3000
	1210502509	E492A2A30021C44	3000
	1210502516	E492I2N30011C3H	3000
	1210502529	E492P2N10K1TC4H	10000
	1210502544	E492N2N30011A15	3000
	1210502547	E492A2A50011C4H	5000
	1210502560	E492I2G50011C4H	5000
	1210502600	E492N2N30021A1B	3000
	1210502623	E492P2N50011C42	5000
	1210502631	E492I2N20011S12	2000
	1210502675	E492I2N20012S12	2000
	1210503023	E492A2A10K11S0L	10000
	1210503036	E492N2N06011C4H	600
	1210503044	E492A2A10K11C4H	10000
	1210503057	E492N2N10021C44	1000
	1210503103	E492N2N30011S0B	3000
	1210503143	E492B2A30012C4H	3000
	1210503144	E492B2A30012C4L	3000
	1210503220	E492I2N50011C4L	5000
	1210503240	E492A2A20011C4H	2000
	1210503241	E492A2A30011C4H	3000
	1210503345	E492A2A06011C42	600
	1210503376	E492B2A10011C4H	1000
	1210503377	E492B2A10011C4L	1000
	1210503378	E492B2A30011C4H	3000
	1210503379	E492B2A30011C4L	3000
	1210503380	E492B2A50011C4L	5000


	MOLEX P/N	ENG No.	LENGTH(mm)
	1210503393	E492B2A10011S0H	1000
	1210503394	E492B2A10011S0L	1000
	1210503395	E492B2A30011S0H	3000
	1210503396	E492B2A30011S0L	3000
	1210503397	E492B2A50011S0H	5000
	1210503398	E492B2A50011S0L	5000
	1210503401	E492N2N10012C42	1000
	1210503404	E492I2N10011C4H	1000
	1210503412	E492A2A50011C4L	5000
	1210503479	E492N2N10011C4M	1000
	1210503529	E492P2N10K11S0H	10000
	1210503532	E492A2A15K11S0H	15000
	1210503559	E492N2N20011A12	2000
	1210503599	E492P2N15011S0B	1500
	2210509010	E492W2A30011C4H	3000
	2210509011	E492W2A30011C4L	3000
	2210509012	E492W2A30011C4M	3000

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	DIMENSION UNITS		SCALE	
	mm		1:1	
	GENERAL TOLERANCES (UNLESS SPECIFIED)			
	ANGULAR TOL ± °			
	4 PLACES		±	
	3 PLACES		±	
	2 PLACES		±	
	1 PLACE		±	
	0 PLACES		±	
±0.05		±0.05		

CURRENT REV DESC:			
EC NO: 758064			
DRWN: APAWLAK01		2023/07/28	
CHK'D: RSILLER		2023/07/28	
APPR: RSILLER		2023/07/28	
INITIAL REVISION:			
DRWN: JMARSZALEK		2012/10/30	
APPR: MIWASIECZKO		2012/11/09	
DRAWING NUMBER		CUSTOMER	
DRAWING NUMBER		CUSTOMER	

DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION
SD-121050-002				PSD	001	B2

MOLEX P/N	ENG No.	LENGTH(mm)
1210503393	E492B2A10011S0H	1000
1210503394	E492B2A10011S0L	1000
1210503395	E492B2A30011S0H	3000
1210503396	E492B2A30011S0L	3000
1210503397	E492B2A50011S0H	5000
1210503398	E492B2A50011S0L	5000
1210503401	E492N2N10012C42	1000
1210503404	E492I2N10011C4H	1000
1210503412	E492A2A50011C4L	5000
1210503479	E492N2N10011C4M	1000
1210503529	E492P2N10K11S0H	10000
1210503532	E492A2A15K11S0H	15000
1210503559	E492N2N20011A12	2000
1210503599	E492P2N15011S0B	1500
2210509010	E492W2A30011C4H	3000
2210509011	E492W2A30011C4L	3000
2210509012	E492W2A30011C4M	3000

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ⊠ = 0 ■ = 0 ▽ = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 758064 DRWN: APAWLAK01 2023/07/28 CHK'D: RSILLER 2023/07/28 APPR: RSILLER 2023/07/28 INITIAL REVISION: DRWN: JMARSZALEK 2012/10/30 APPR: MIWASIECZKO 2012/11/09					molex E492XXXXXXXXXX FORM C EN 175301-803									
	mm		1:1																
	GENERAL TOLERANCES (UNLESS SPECIFIED)																		
	ANGULAR TOL ± °									PRODUCT CUSTOMER DRAWING									
	4 PLACES		±												DOCUMENT NUMBER SD-121050-002				
	3 PLACES		±																
	2 PLACES		±							MATERIAL NUMBER SEE PART LIST									
	1 PLACE		±												CUSTOMER GENERAL MARKET				
	0 PLACES		±																
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 121050					