





Pliers autumn campaign 2013.

Valid from
1. 9. – 31. 12. 2013

electrifying

Wiha's autumn prices



wiha 
Premium Tools

Wiha Professional electric.

Completely reliable.



• Powerful

With **Wiha DynamicJoint**, the high quality joint construction for simple, long-term cutting efficiency

• A firm hold

Wiha OptiGrip – optimal grip due to newly designed gripping surfaces

• As hard as steel

Pliers head drop forged from high quality steels

Z 01 0 06		mm	II	○	●
	26705	160	6 ½	3,0	2,0
	26708	180	7	3,4	2,2
	26711	200	8	3,6	2,5

Z 02 0 06		mm	II	○	●
	26714	200	8	2,8	2,3
	26717	225	9	3,8	2,5

Z 05 0 06		mm	II	○	●
	26720	160	6 ½	2,5	1,8
	26727	200	8	2,8	2,0

Z 05 1 06		mm	II	○	●
	26728	160	6 ½	2,5	1,8
	26729	200	8	2,8	2,0

Z 07 0 06		mm	II		
	26732	160	6 ½		

Z 09 0 06		mm	II		
	26735	160	6 ½		

Z 12 0 06		mm	II	○	●
	26737	140	5 ½	2,5	1,8
	26741	160	6 ½	2,8	2,0
	26744	180	7	3,0	2,5

Z 16 0 06		mm	II	○	●
	26748	160	6 ½	2,5	2,0
	26751	180	7	2,7	2,3
	26754	200	8	3,0	2,5

Z 14 0 06		mm	II	○	●
	26745	160	6 ½	4,0	2,0

Z 50 1 06		mm	II	Ø	mm ²
	34743	160	6 ½	16	50
	34744	200	8	20	60



Order-No.



Pliers length [mm]



Pliers length [inch]



Max. diameter



Medium hard wire



Hard wire




Piano wire



Safety note:

When working with cutting pliers – beware of wire ends flying away. Please wear safety glasses.



OptiGrip

Wiha OptiGrip – optimal grip due to newly designed gripping surfaces

• A firm hold:

The „triple-point support“ protects the workpiece from twisting or slipping.

• Highly effective:

Optimum grip even with a large jaw opening – and at the same time significantly less force needed

• A wide selection:

Now in standard Wiha combination pliers and high leverage combination pliers



• Attractive

An appealing design

• Robust and durable

Cutting edges are individually tempered and additionally induction hardened to approx. 64 HRC; joints are extremely ear resistant and withstand high stresses, with high-quality riveting

• Ergonomic

Extra wide handle backs, with soft and hard zones perfectly distributed across the handle



Z 55 0 06		mm
26847		160



Z99000106		mm	II	○	●
26852					
Z 01 0 06		180	7	3,4	2,2
Z 12 0 06		160	6 ½	2,8	2,0
Z 05 0 06		200	8	2,8	2,0



Z99000506VH		mm	II	○	●
36063					
2x Z 01 0 06		180	7	3,4	2,2
2x Z 12 0 06		160	6 ½	2,8	2,0
2x Z 05 0 06		200	8	2,8	2,0
2x Z 16 0 06		180	7	2,7	2,3
2x Z 55 0 06		160			



Uncompromisingly safe!



1000 V
IEC 60900:2012

Approved for work in the area of live parts up to 1,000 V AC or 1,500 V DC.

When working with VDE tools, observe the national safety and accident prevention regulations!



DynamicJoint

Wiha DynamicJoint – Top of their class


- **Innovative:**
Unique joint construction
- **Effective:**
Low loss of force means **less force needed for cutting** – up to 40%
- **Permanent:**
Optimal performance even after thousands of cuts

Less force of power:

- 9,6 kg

- 12,6 kg

TÜV Süd test,
October 2009



Wiha Inomic® VDE.

Completely relaxed.




The relaxed hold when using Inomic® VDE ensures fatigue-free work.

Z 01 9 16	Typ	30658	180	2,5	1,6
Z 01 9 16	Typ	30661	160	2,5	1,6
Z 01 9 16	Typ	30666	160	2,5	1,6



Wiha Inomic® VDE.

- **Uncompromisingly safe**
Manufactured and inspected according to IEC 60900:2004, one-off testing at 10,000 V, GS mark for inspected safety, VDE tested
- **Gentle**
The angled form is easy on muscles, tendons and joints
- **Powerful**
All fingers grip at the same time.
- **Robust and durable**
Strong pliers jaws, complete zinc-nickel coating, impact resistant construction
- **Sensitive**
Greater control with grasping via opening spring with fine resistance
- **Ergonomic**
Like the extension of a hand: grasping is simple, firm and safe
- **Attractive**
An appealing design



The Inomic® VDE pliers are angled at 23° to support the physiological movement of the wrist when working and thus prevent an unhealthy wrist position, which often leads to problems such as carpal tunnel syndrome.

Recommended retail prices per piece excl. value added tax, only valid during the campaign period.
Technische Änderungen vorbehalten! | Art.-Nr.: 99999189 | FB-MA-1250-07/13-0.1 | Printed in Germany

wiha
Premium Tools

Wiha Werkzeuge GmbH
Obertalstraße 3–7
D-78136 Schonach/Germany
Tel. +49 7722 959-0
Fax +49 7722 959-159
info@wiha.com
www.wiha.com