


MICON 5, square plunger 18 mm, mechanical stop limit, red, GH 12.5 mm



fields of application

- Measurement-control-regulation
- Mechanical and system engineering
- Automotive
- Signalling systems
- Vehicle construction
- Handheld terminals

description

The wide selection of standard plungers in different shapes and colors guarantees a versatile range of applications for the MICON 5 tactile switch.

technical data

➤ general

Bezel color	red
illuminated	Yes
Packaging unit	100 pcs.
net weight	1.3 g
MOQ order	500 pcs.
RoHS compliant	Yes
REACH compliant	Yes

direct links


- [RAFI eCatalog](#)

➤ mounting diameters

Outside dimension, length	11.65 mm
Outside dimension, width	18 mm
Outside dimension, height	18 mm
Plunger length L	9.15 mm
Support height A	3.35 mm
Total height GH	12.5 mm


drawings

Dimensioned drawing



System drawing

Structure:
High embossing 0.35 mm
Adhesive thickness 0.15 mm



$$GH=A+L$$

PCB drawing

View without front panel,
foil and screen




Illustration with 6 LED OSRAM LO M676-Q1R1-24

PCB drawing

View without front panel,
foil and screen




Illustration with 6 LED OSRAM LO M676-Q1R1-24